

The Edgecore SFP+ Direct Attached Cables are suitable for very short distances and offer a cost-effective way to connect 10G switches, servers and Storage Area Networks (SAN) within racks and across adjacent racks. Edgecore offers passive DAC cables in lengths of 1, 3 and 5 meters.

Key Features and Benefits

- ♦ Varied Distance and Speed Edge-Core's DAC cables provide various distance from 1m, 3m and 5m with 10GE speed.
- **♦** Standard Compliance
- ♦ SFF-8431 compliant
- **♦** Low Power Consumption
- **♦** Support for multi-gigabit data rate up to 10.5Gbps.
- **◆** 30AWG/28AWG
- **♦** Hot Pluggable
- **♦** EMI/EMC Compliance
- **♦** AC coupling of PECI signals







Specification and Features

10G SFP+ Direct Attached Cable: ET5402 Series									
Models	Connect Speed	Wavelength	Transmission Distance	Connector	Fiber Mode	Supply Voltage	Temperature		
ET5402-	10Gbps	*	1m	DAC		*	*		
DAC-1M									
ET5402-	10Gbps	*	3m	DAC		*	*		
DAC-3M									
ET5402-	10Gbps	*	5m	DAC		*	*		
DAC-5M									



Support Switches

		,	AS5700 Serie	s	AS5600	AS4600 Series	
		AS5712-54X	AS5710-54X AS5610-52X		AS5610-52X	AS5600-52X	AS4600-54T
10G DAC	ET5402- DAC-1M	0	0	0	0	0	0
	ET5402- DAC-3M	0	0	0	0	0	0
	ET5402- DAC-5M	0	0	0	0	0	0

		E	ECS5000 Series			ECS4600 Series			
		ECS5610 - 52S	ECS5510 - 48S	ECS5510- 24S	ECS4660- 28F	ECS4620- 28T	ECS4620- 28P	ECS4620- 52P/52T	
10G DAC	ET5402- DAC-1M	0	0	0	0	0	0	0	
	ET5402- DAC-3M	0	0	0	0	0	0	0	
	ET5402- DAC-5M	0	0	0	0	0	0	0	



Support Switches

		ECS4510 Series							
		ECS4510- 28T	ECS4510- 28P	ECS4510- 28F	ECS4510- 52T	ECS4510- 52P			
DAC	ET5402- DAC-1M	0	0	0	0	0			
	ET5402- DAC-3M	0	0	0	0	0			
	ET5402- DAC-5M	0	0	0	0	0			